

ÜRÜN KATALOĐU

PRODUCT CATALOGUE

كتالوج المنتجات



www.commedmedical.com.tr

•innovative•technological•comfort medical products

commed
comfort medical

COMMED MEDICAL, who has the experience of years in the health sector, manufactures hospital beds and other equipment at the moment as one of the leading companies of the sector. It is a company which can produce solutions for all problems in the sector with its experience and accumulation of knowledge acquired during the years, brings the future technology to our day with its R&D unit and carries out advanced technology production by closely following the technologic developments in the health sector. It is one of the known and trusted names in the domestic and international market, offering different and innovative solutions to all kinds of needs.

COMMED, knowing that the health sector requires meticulousness and care; aims with this awareness to provide a quality life to all healthcare professionals, patients and patient relatives with advanced technology. We keep going with our dynamic staff that will proceed with greater and faster business activities to be able to offer more appropriate solutions to the needs of you, our valuable customers.



Electronic Bed With Four Motors



cmd-4000

- Easy to Use, Full Featured Bed
- Low Height (38 cm)
- Backrest, Leg Rest, Height Adjustment, Trendelenburg and Reverse Trendelenburg Movements
- Automatic Stressed Backrest System (11 cm) to Increase Patient Comfort During Back Adjustment
- Polypropylene Side Rails and Bedheads
- Angle Indicators on Side Rails
- X-Ray and HDPL Anti-Bacterial Back Platform for X-Ray
- X-Ray Cassette Holder
- Other Parts of the Bed Platform are Antibacterial
- ABS Plastic (Detachable)
- Hand Remote Control Panel
- Nurse Control Panel
- Epoxy Coated Metal Framework
- Patented Side Ray Mechanism
- Central Lockable Wheels
- Protective Plastic Corner Buffers
- Drainage Bag Hooks On Both Sides
- IV Pole With Height Adjustment
- Foot Section Adjustment with Semi-Automatic Shelves
- Back-up Battery
- Manual CPR

Electronic Bed With Four Motors



cmd-4010

- Easy to Use, Full Featured Bed
- Low Height (38 cm)
- Back, Leg Support, Height Adjustment, Trendelenburg and Reverse Trendelenburg Movements
- Automatic Stressed Backrest System (11 cm) to Increase Patient Comfort During Back Adjustment
- Polypropylene Side Rails and Bedheads
- Angle Indicators on Side Rails
- Hand Remote Control Panel
- Epoxy Coated Metal Framework
- Patented Side Ray Mechanism
- Cross Lockable Wheels
- IV Pole With Height Adjustment
- Foot Section Adjustment with Semi-Automatic Shelves
- Exterior Dimension: 108 × 220 cm
- Bed Platform: 90 × 200 cm

Height (Without mattress): 38-78 cm

Back - Resting Angle: 0-75 °

Knee Rest Angle: 0-45 °

Footrest Angle: 0-30 °

Trendelenburg / Reverse Trendelenburg: + - 16 °

Wheel Diameter: Ø12.5 cm

Safe Working Load Capacity: 230 kg

Power: 220V ~ 50/60 Hz

Electric Shock Protection: Class I, Type B

Electronic Bed With Three Motors



cmd-3000

- Electronic bedside, foot end, height settings with 3 motors
- Fowler, Vascular Positions
- Auto-contour
- Hand control
- Back adjustment angle indicator
- Back and foot end sliding system
- Lockable and detachable PP bedside and foot end panels
- Detachable hair mattress platform with 4 compartments

Exterior Dimension: 1080 × 2200 mm

Bed Platform: 900 × 2000 mm

Height (without mattress): 380-780 mm

Back - Resting Angle: 0-75 °

Knee Rest Angle: 0-45 °

Footrest Angle: 0-30 °

Trendelenburg / Reverse Trendelenburg: + - 16 °

Wheel Diameter: Ø125 mm

Safe Working Load Capacity: 230 kg

Fluid entry protection: IPx66

Power: 220V ~ 50/60 Hz

Electric Shock Protection: Class I, Type B

Electronic Bed With Two Motors



cmd-2000

- Electronic Bed with 2 motors
- Wireless Hand Control Unit
- 70 ° Backrest Adjustment
- 30 ° Kneerest Adjustment
- Cross Lockable Wheels
- Polypropylen Side Rails
- Polypropylen Bedheads
- IV Pole With Height Adjustment
- Four cornered Buffer

Bed Surface Dimension: Width 90 cm, Length 190 cm

Height: 50 cm (Up to the Bed Platform)

Exterior Dimension: Width 108 cm, Length: 214.5

Standard Weight Capacity: 210 kg

Cross Lockable Wheels : 12.5 cm

ABS Surfaced Manual Bed With 3 Settings



cmd-1020

- ABS Surfaced Manual Bed with Three Settings
- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- 16 ° Trendelenburg Gas Spring Mechanism
- ABS Bed Surface
- IV Pole With Height Adjustment
- Aluminium Foldable Side Rails
- Polypropylen Head and Foot Boards
- Cross Lockable Wheels
- Epoxy Powder Paint Main Structure

Exterior Dimension:

Width 98 cm, Length: 2150 cm Height: 50 cm

Bed Surface Dimension: Width 90 cm, Length 200 cm

Standard Weight Capacity: 210 kg

Two Separate Lockable Wheels: 12.5 cm

3 Settings Manual Bed



cmd-1021

- emi-Fowler Manual Bed
- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- Manual Footrest Adjustment
- Metal Bed Surface
- Four cornered Buffer
- Cross Lockable Wheels
- Aluminium Foldable Side Rails
- Polypropylen Head and Foot Panels
- Epoxy Powder Paint Main Structure

Exterior Dimension:

Width 1050 mm, Length: 214.5 cm Height: 50 cm

Bed Surface Dimension: Width 90 cm, Length 190 cm

Cross Lockable Wheels : 12.5 cm

Standard Weight Capacity: 210 kg

ABS Bed Surfaced Manual Bed with Three Settings



cmd-1022

- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- ABS Bed Surface
- Aluminium Foldable Side Rail
- Manual Footrest Adjustment
- Polypropylen Head and Foot Boards
- Four cornered Buffer
- Cross Lockable Wheels

Exterior Dimension:

Width 1050 mm, Length: 2145 mm Height: 500 mm

Bed Surface Dimension: Width 900 mm, Length 1900 mm

Cross lockable wheels: 125 mm

Standard Weight Capacity: 210 kg

Manual Bed with Trendelenburg with Four Settings



cmd-1023

- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- 16 ° Manual Trendelenburg
- Manual Footrest Adjustment
- ABS Bed Surface
- Aluminium Foldable Side Rails
- Cross Lockable Wheels
- Polypropylen Head and Foot Panels
- Epoxy Powder Paint Main Structure

Exterior Dimension:

Width 1050 mm, Length: 2145 mm Height: 500 mm

Bed Surface Dimension: Width 900 mm, Length 1900 mm

Cross lockable wheels: 125 mm

Standard Weight Capacity: 210 kg

Foldable Footed Manual Bed with Three Settings



cmd-1024

- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- Manual Footrest Adjustment
- Foldable Legs
- Aluminium Foldable Side Rails
- Metal Bed Surface
- Polypropylen Head and Foot Panels
- Cross Lockable Wheels
- Epoxy Powder Paint Main Structure

Exterior Dimension:

Width 1050 mm, Length: 2145 mm Height: 500 mm

Bed Surface Dimension: Width 900 mm, Length 1900 mm

Standard Weight Capacity: 210 kg

Two Separate Lockable Wheels: 125 mm

Manual Bed with Four Settings



cmd-1030

- 70 ° Backrest Adjustment
- 45 ° Kneerest Adjustment
- Manually operable height adjustment
- Manual Footrest Adjustment
- Metal Bed Surface
- Aluminium Foldable Side Rails
- Polypropylen Head and Foot Boards
- Cross Lockable Wheels
- Epoxy Powder Paint Main Structure

Exterior Dimension: Width 1080 mm, Length: 2145 mm

Bed Surface Dimension: Width 900 mm, Length 1900 mm

Height: Min. 460 mm, Max. 800 mm

Standard Weight Capacity: 210 kg

Two Separate Lockable Wheels: 125 mm

Fowler Manual Bed



cmd-1000

- 70 ° Backrest Adjustment
- Metal Bed Surface
- Patented Foldable Side Rails
- Four cornered Buffer
- Cross Lockable Wheels
- Epoxy Powder Paint Main Structure

Exterior Dimension: Width 1050 mm, Length: 2145 mm

Bed Surface Dimension: Width 900 mm, Length 1900 mm

Cross lockable wheels: 125 mm

Standard Weight Capacity: 210 kg

1 Settings Basic Pediatric Bed



cmd-5000

Exterior Dimension:

Width 840 mm, Length 1500 mm, Height: 1020 mm

Bed Surface Size:

Width 700 mm, Length 1400 mm, Height 520 mm

Standard Weight Capacity: 210 kg

Two Separate Lockable Wheels: 125 mm

Ergonomic Dining Table 400 mm x 800 mm

Hydraulically Adjustable Dining Table Height:

Min. 670 mm, Max. 1070 mm

360 ° Rotatable Polymer Twin Wheels: 50 mm / Two of them Single Lockable

Hydraulic Emergency Response Stretcher



cmd-6000

- Hydraulic height adjustment
- The back part is adjusted with a damper
- Trendelenburg damper controlled
- Reverse trendelenburg damper controlled
- Easy to clean, compact laminated mattress platform
- Antimicrobial, liquid proof, flame resistant and air-permeable mattress
- Foldable rails
- Stainless steel equipment chamber (optional)
- Lockable and detachable ergonomic pushing bars
- IV Pole sockets
- Protective corner buffers
- Lockable wheels
- Height adjustable, stainless steel IV Pole
- Back part angle: 0°-70°
- Reverse Trendelenburg Angle: 0 ° -16 °
- Trendelenburg Angle: 0 ° -16 °
- Exterior Measures: 72 x 213 cm
- Mattress Measures: 60 x 190 cm
- Height Adjustment (without mattress): 53 x 81 cm

OPTIONAL ACCESSORIES

- Safety Belt
- Oxygen Tube Transporter
- Paper Towel Hanger
- Central lock wheel





cmd-7510

MEDICAL WASTE BUCKET

- 304 quality stainless steel
- Movable waste bucket
- Lid with handle and hand grip on the bucket
- The waste bucket has three wheels and there is a stand with crash buffer surrounding the bucket from outside.
- Bearing capacity is 36 liters
- Exterior measures: 52 x 52x 45 cm



cmd-7520

HYDRAULIC MAYO TABLE

- 304 quality stainless steel
- Lockable wheels (2 with brakes - 1 without brakes)
- Rotatable upper platform
- Hydraulic height adjustment
- Exterior measures: 50 x 80 cm
- Height : 85 - 124 cm

SINGLE ESKOBA

- 304 quality stainless steel
- Steps have been designed for operating and intervention rooms.
- All of the steps have been made of anti-slip, stainless material.
- Bearer legs of the steps have been made of
- seamless stainless steel profile.
- Exterior measures: 59 x 50 x 40 cm



cmd-7540



cmd-7530

DOUBLE ESKOBA

- 304 quality stainless steel
- Steps have been designed for operating and intervention rooms.
- All of the steps have been made of anti-slip, stainless material.
- Bearer legs of the steps have been made of seamless stainless steel profile.
- Exterior measures : 35 x 55 x 20 cm



cmd-7400

CAP-BONNET CABINET

- With Six Compartments
- Large chamber that can tip frontwards
- 4 adjustable ball joint legs
- Made of 304 quality stainless steel
- Three compartments on the cabinet into which caps and bonnets can be placed
- The mouth parts of the cells on the cabinet are curved inward 1800 degrees in order to prevent damage to the user.
- Exterior measures: 40 x 65 x 155 cm

TOOLS AND MEDICINE CABINET

- 3 adjustable shelves
- Lockable 2700 openable glass doors
- 4 mm thick tempered glass
- 4 adjustable ball joint legs
- Exterior measures: 40 x 90 x 180 cm



cmd-7410

MATERIAL WASHING SINK

- 304 quality stainless steel
- 1 shelf to put material under the table
- 4 adjustable ball joint legs
- Exterior measures: 61 x 138 x 152h cm



cmd-7500

WHEELED DEMOUNTED SHELF

- 304 quality stainless steel
- 4 wire shelves
- Adjustable shelf space
- Lockable wheels
- Optional fixed legs (optional)
- Exterior Measures: 61 x 136 x 161 cm



cmd-7521

**cmd-7000****BEDSIDE CABINET**

- Main Construction Aluminum Sigma Profile
- Compact Laminate Strong Panels
- Top drawer
- Lateral Open Space Between Drawers
- Large Bottom Drawer
- Ergonomic arms
- Width: 450 mm
- Depth: 500 mm
- Height: 865 mm
- Cross Lockable Twin Wheels: 50 mm

PATIENT BEDSIDE NIGHTSTAND

- Laminate coated MDF Surface
- Not covered with PVC tape
- Ergonomic arms
- One cabinet with drawer, one large cabinet
- Shelf inside the cabinet
- Width: 450 mm
- Depth: 460 mm
- Height: 800 mm
- Cross Lockable Twin Wheels: 75 mm

**cmd-7010**

BEDSTEAD CABINET WITH BED TABLE

- Laminate coated MDF Surface
- Not covered with PVC tape
- Ergonomic arms
- One cabinet with drawer, one large cabinet
- Shelf inside the cabinet
- Width: 450 mm
- Depth: 460 mm
- Height: 800 mm
- Cross Lockable Twin Wheels: 75 mm

**cmd-7600-10-20****cmd-7020****CMD-7600 SINGLE NEGATSCOPE**

- Exterior measures: 2,5 x 56 x 49 cm

CMD-7610 DOUBLE NEGATSCOPE

- Exterior measures: 2,5 x 56 x 89 cm

CMD-7620 TRIPLE NEGATSCOPE

- Exterior measures: 2,5 x 56 x 120 cm

**cmd-7200****SPACED STOOL**

- The sitting surface of the stool has an ergonomic structure.
- There is a back reclining place
- Stool height is adjusted by a foot pedal controlled with a gas piston
- The stool makes a cradle movement with the hand control located under the seat.
- Exterior measures: 60 x 60 cm
- Height: 95 - 109 cm

**cmd-7210****NON-SPACED STOOL**

- The sitting surface of the stool has an ergonomic structure.
- Stool height is adjusted by a foot pedal controlled with a gas piston
- The stool makes a cradle movement with the hand control located under the seat.
- Height: 56 - 71 cm
- Exterior measures: 60 x 60 cm

DOUBLE DOOR PATIENT'S ROOM CABINET

- MDF Side Boards and Door
- Steel Connection Apparatus
- One fixed shelf at the bottom
- Strong Aluminium Legs with Plastic Lid
- Width: 900 mm
- Depth: 460 mm
- Height: 1800 mm

**cmd-7051****cmd-7050****SINGLE DOOR PATIENT'S ROOM CABINET**

- MDF Side Boards and Door
- Steel Connection Apparatus
- One fixed shelf at the bottom
- Strong Aluminium Legs with Plastic Lid
- Width: 450 mm
- Depth: 460 mm
- Height: 1800 mm

**cmd-7300****MANUAL SETTINGS BASIC MODEL MDF BED TABLE**

- Epoxy Powder Paint Main Structure
- Ideal Size of Blown Molded PP Dining Board
- Anti Bacterial and Easy to Clean Dining Surface
- Ideal Dining Table Dimension: 400 mm, Length 800 mm
- 360 ° Rotating Polymer Twin Wheels: 50 mm
- Pneumatic Height Adjustment: Min. 860 mm Max. 1100 mm

POLYPROPYLEN BED TABLE

- Anti-Slip Aluminum Bars Such As Food Tray
- Heat Resistant and Easy to Clean Compact Laminated Dining Surface
- Epoxy Powder Paint Main Structure
- Ideal Dining Table Dimension: 400 mm, Length 800 mm
- Pneumatic Height Adjustment: Min. 840 mm, Max. 1080 mm
- 360 ° Rotating Polymer Twin Wheels: 50 mm

**cmd-7310**

**cmd-7630****SCREEN**

- With 3 compartments
- Compartments are made of high quality cotton fabric
- There is a plastic shoe at the foot end of the middle wing and the side wings are wheeled.
- The middle part of the screen is fixed and the wings at the edge are movable, they can be folded when necessary.
- Electrostatic powder coated metal body
- Exterior measures: 42 x 225 cm
- Height : 160 cm

**cmd-7640****OXYGEN TUBE TRANSPORTATION CART**

- Electrostatic powder coated metal body
- Round pipe metal component
- Two wheeled
- Car transporter pushing handle
- Chain apparatus for the safe transportation of the tube.
- 10 Liter tube transportation capacity
- Exterior measures: 28 x 31 cm

**cmd-7650****FOLDABLE EXAMINATION TABLE**

- Synthetic leather coated lying surface
- Adjustable bedside
- Foldable legs
- Paper roll hanger
- Plastic plug foot ends
- Exterior measures: 65 x 190 cm
- Height : 78 cm

**cmd-7710****DOUBLE WAITING SEAT**

- Electrostatic powder coated metal body
- Synthetic leather coated sitting and reclining surface
- Round tube leg part
- Adjustable special pingoes used to provide balance under the feet
- Seat Height: 78 cm
- Exterior measures: 63 x 105 x 80 cm

**cmd-7730****DOUBLE WAITING SEAT**

- Electrostatic powder coated metal body
- Synthetic leather coated sitting and reclining surface
- Exterior measures: 63 x 105 x 80 cm
- Seat Height: 78 cm
- Adjustable special pingoes used to provide balance under the feet

TRIPLE WAITING SEAT

- Electrostatic powder coated metal body
- Synthetic leather coated sitting and reclining surface
- Round tube leg part
- Adjustable special pingoes used to provide balance under the feet
- Height : 43 cm
- Exterior measures: 63 x 157 x 80 cm

**cmd-7700****COMPANION SEAT**

Companion Seat Technical Specifications = Sponge: The sponge we use in our companion seats is 32 dns gray hard or gray soft sponge based on customer request. On the upper parts of arms; 3 cm gray hard sponge or 2 cm bondex sponge is used. Skeleton: In our companion seats, iron profiles with a wall thickness of 1.2 mm, 20 × 20mm, 20 × 30 mm, 20x 40 mm, 20 × 50 mm are used. In box arms and lath outfitting, calcined hornbeam was used and high efficiency was obtained as skeleton. Fabric = In our companion seats, mass production fabrics and leathers are completely used as upholstery fabric and leather. With respect to fabric, we make our choices among the products of companies that we have used and liked for many years. In addition, we also pay attention to the cleaning, easy wearability and impact resistance of our fabrics.


- Seating Width: 70 cm
- Bed length: 185 cm
- Height: 80 cm
- Total Width: 95 cm

**cmd-7750**

commed

comfort medical

•innovative •technological •comfort medical products



Sanayi Mah. 60357 nolu sok. No: 42/1
Şehitkamil / Gaziantep / TURKEY



+90 545 342 27 68



www.commedmedical.com.tr



info@commedmedical.com.tr